



Express Mail. No.
PTO/SB/08A (07-06)

Approved for use through 09/30/2006 OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Substitute for form 1449A/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)

Sheet 1 of 4

Complete If Known

Application Number	10/562,383
Filing Date	June 13, 2007
First Named Inventor	Cathy Lofton-Day
Art Unit	1645
Examiner Name	Not yet assigned
Attorney Docket Number	47675-171

U.S. PATENT DOCUMENTS

Examiner Initials*	Cite No. ¹	Document Number	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
		Number - Kind Code ² (if known)			
/F.L./	↓	5565552	10-15-1996	Magda et al.	
		5567810	10-22-1996	Weis et al.	
		5574142	11-12-1996	Meyer, Jr. et al.	
		5585481	12-17-1996	Arnold, Jr. et al.	
		5587371	12-24-1996	Sessler et al.	
		5597696	01-28-1997	Linn et al.	
		5786146	07-28-1998	Herman et al.	
		5958773	09-28-1999	Monia et al.	
		6251594	06-26-2001	Gonzalzo et al.	
		6265171	07-24-2001	Herman et al.	
		6331393	12-18-2001	Laird et al.	
		2003/0013091	01-16-2003	Dimitrov	

FOREIGN PATENT DOCUMENTS

Examiner Initials*	Cite No. ¹	Foreign Patent Document	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T ⁶
		Country Code ³ - Number ⁴ - Kind Code ⁵ (if known)				
/F.L./	↓	WO 95/00669	01-05-1995	Pharmacia Biotech		
		WO 95/15373	06-08-1995	McGill University		
		WO 97/46705	12-11-1997	Johns Hopkins Univ School of Medicine		
		WO 98/56952	12-17-1998	University of Southern California		
		WO 99/28498	06-10-1999	Epigenomics GMBH		
		WO 00/28401	05-11-2000	Johns Hopkins Univ School of Medicine		
		WO 01/75172	10-11-2001	University of Southern California		
		WO 02/077272	10-03-2002	Epigenomics AG		
↓		WO 02/081749	10-17-2002	University of Southern California		

Examiner
Signature

/Frank Lu/

Date
Considered

11/19/2010

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹ Applicant's unique citation designation number (optional). ² See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶ Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

Substitute for form 1449A/PTO

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**

(Use as many sheets as necessary)

Sheet 2 of 4

Complete if Known

Application Number	10/562,383
Filing Date	June 13, 2007
First Named Inventor	Cathy Lofton-Day
Art Unit	1645
Examiner Name	Not yet assigned
Attorney Docket Number	47675-171

NON PATENT LITERATURE DOCUMENTS

Examiner Initials *	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²
/F.L./		BACHMAN et al., "Methylation-associated Silencing of the Tissue Inhibitor of Metalloproteinase-3 Gene Suggests a Suppressor Role in Kidney, Brain, and Other Human Cancers," Cancer Research, 1991, pp. 798-802, Volume 59	
		BELYAVSKY et al., "PCR-based cDNA library construction: general cDNA libraries at the level of a few cells," Nucleic Acids Research, 1989, pp. 2919-2932, Volume 17, No. 8	
		BOWTELL, "Options available - from start to finish - for obtaining expression data by microarray," Nature Genetics Supplement, January 1999, pp. 25-32, Volume 21	
		CROSS et al., "Purification of CPG Islands Using a Methylated DNA Binding Column," Nature Genetics, March 1, 1994, pp. 236-244, Volume 6, No. 3	
		DATABASE EMBL [Online] October 18, 1995, "H. sapiens CpG island DNA genomic MseI fragment, clone 40c10, forward read cpg40c10.flik."	
		DATABASE EMBL [Online] October 18, 1995, "H. sapiens CpG island DNA genomic MseI fragment, clone 40c10, reverse read cpg40c10.rlik."	
		DATABASE EMBL [Online] October 23, 1995, "H. sapiens CpG island DNA genomic MseI fragment, clone 97b5, forward read cpg97b5.flik."	
		DATABASE EMBL [Online] November 11, 1999, "Homo sapiens BAC clone RP11-538J11 from 2, complete sequence"	
		DATABASE EMBL [Online] July 16, 2002, "Homo sapiens cDNA FLJ40417 f1s, clone TEST12038388, highly similar to Home sapiens gamma cysteine string proteins mRNA"	
		EADS et al., "CPG Island Hypermethylation in Human Colorectal Tumors Is Not Associated with DNA Methyltransferase Overexpression," Cancer Research, May 15, 1999, pp. 2302-2308, Volume 59	
		EBERT et al., "Aristaless-like Homeobox-4 Gene Methylation is a Potential Marker for Colorectal Adenocarcinomas," Gastroenterology, November 11, 2006, pp. 1418-1430, Volume 131, No. 5	
		FEIL et al., "Methylation analysis on individual chromosomes: improved protocol for bisulphite genomic sequencing," Nucleic Acids Research, 1994, pp. 695-696, Volume 22, No. 4	
		FROMMER et al., "A genomic sequencing protocol that yields a positive display of 5-methylcytosine residues in individual DNA strands," PNAS, March 1992, pp. 1827-1831, Volume 89	
		GAUTIER et al., "affy - analysis of Affymetrix GeneChip data at the probe level," Bioinformatics, 2004, pp. 307-315, Volume 20, No. 3	
		GONZALGO et al., "Identification and Characterization of Differentially Methylated Regions of Genomic DNA by Methylation-sensitive Arbitrarily Primed PCR," Cancer Research, February 15, 1997, pp. 594-599, Volume 57	
		GONZALGO et al., "Rapid quantitation of methylation differences at specific sites using methylation-sensitive single nucleotide primer extension (Ms-SNuPE), Nucleic Acids Research, 1997, pp. 2529-2531, Volume 25, No. 12	
✓		GRIGG et al., "Sequencing 5-Methylcytosine Residues in Genomic DNA," BioEssays, June 1994, pp. 431-436, Volume 16, No. 6	

Examiner
Signature

/Frank Lu/

Date
Considered

11/19/2010

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹ Applicant's unique citation designation number (optional). ² See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶ Applicant is to place a check mark here if English language translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

Substitute for form 1449A/PTO

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**

(Use as many sheets as necessary)

Sheet 3 of 4

Complete if Known

Application Number	10/562,383
Filing Date	June 13, 2007
First Named Inventor	Cathy Lofton-Day
Art Unit	1645
Examiner Name	Not yet assigned
Attorney Docket Number	47675-171

NON PATENT LITERATURE DOCUMENTS

Examiner Initials *	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²
/F.L./		GUT et al., "DNA and Matrix Assisted Laser Desorption Ionization Mass Spectrometry," Molecular Biology: Current Innovations and Future Trends, 1995, pp. 147-157, Horizon Scientific Press, Wymondham, United Kingdom	
		GUT et al., "A procedure for selection DNA alkylation and detection by mass spectrometry," Nucleic Acids Research, 1995, pp. 1367-1373, Volume 23, No. 8	
		HEID et al., "Real Time Quantitative PCR," Genome Research, 1996, pp. 988-994, Volume 6	
		HERMAN et al., "Inactivation of the CDKN2/p16/MTS1 Gene Is Frequently Associated with Aberrant DNA Methylation in All Common Human Cancers," Cancer Research, 1995, pp. 4525-4530, Volume 55	
		HERMAN et al., "Methylation-specific PCR: A novel PCR assay for methylation status of CpG islands," September 1996, pp. 9821-9826, Volume 93	
		HILTUNEN et al., "Hypermethylation of the APC (Adenomatous Polyposis Coli) Gene Promoter Region in Human Colorectal Carcinoma," International Journal of Cancer, 1997, pp. 644-648, Volume 70	
		IRIZARRY et al., "Exporation, normalization, and summaries of high density oligonucleotide array probe level data," Biostatistics, 2003, pp. 249-264, Volume 4, No. 2	
		KARAS et al., "Laser Desorption Ionization of Proteins with Molecular Masses Exceeding 10 000 Daltons," Analytical Chemistry, October 15, 1988, pp. 2299-2301, Volume 60, No. 20	
		KRUG et al., "First Strand cDNA Synthesis Primed with Oligo(dT)," Methods in Enzymology, 1987, pp. 316-325, Volume 152	
		LIPSHUTZ et al., "High density synthetic oligonucleotide arrays," Nature Genetics Supplement, January 1999, pp. 20-24, Volume 21	
		MARTIN et al., "Genomic sequencing indicates a correlation between DNA hypomethylation in the 5' region on the p52 gene and its expression in human breast cancer cell lines," Gene, 1995, pp. 261-264, Volume 157	
		OLEK et al., "A modified and improved method for bisulphite based cytosine methylation analysis," Nucleic Acids Research, 1996, pp. 5064-5068, Volume 24, No. 24	
		OLEK et al., "The pre-implantation ontogeny of the H19 methylation imprint," Nature Genetics, November 1997, pp. 275-276, Volume 17	
		REIN et al., "SURVEY and SUMMARY Identifying 5-methylcytosine and related modifications in DNA genomes," Nucleic Acids Research, 1998, pp. 2255-2264, Volume 26, No. 10	
		SABBIONI et al., "Multigene Methylation Analysis of Gastrointestinal Tumors," Molecular Diagnosis, 2003, pp. 201-207, Volume 7	
		SADRI et al., "Rapid analysis of DNA methylation using new restriction enzyme sites created by bisulfite modification," Nucleic Acids Research, 1996, pp. 5058-5059, Volume 24, No. 24	
		SANGER et al., "DNA sequencing with chain-terminating inhibitors," PNAS, December 1977, pp. 5463-5467, Volume 74, No. 12	

Examiner
Signature

/Frank Lu/

Date
Considered

11/19/2010

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹ Applicant's unique citation designation number (optional). ² See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶ Applicant is to place a check mark here if English language translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.